

Upstate Beverage Consultants

6 Whitlee Court
Greenville, SC 29607
billy@drinkrebelrabbit.com
(864) 434-9011
Lic. #

Sample: 2410CWB0279.0828

Strain: Blue Roo Watermelon WD905LOT01
Batch#: ; Batch Size: g
Sample Received: 10/03/2024; Report Created: 10/08/2024


Sampling: ; Environment:

Blue Roo Watermelon WD905LOT01

Ingestible, Beverage
Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:



	0.001%	10.04 mg/unit	NR
	$\Delta 9$ THC	Total CBD	
	5.03 mg/unit	15.07 mg/unit	
	Total THC	Total Cannabinoids	Moisture

Cannabinoids


Analyte	LOQ	Result	Result
	mg/unit	mg/unit	mg/mL
THCa	3.40	ND	ND
$\Delta 9$ -THC	3.40	5.03	0.01
$\Delta 8$ -THC	3.40	ND	ND
THCV	3.40	ND	ND
CBDa	3.40	ND	ND
CBD	3.40	10.04	0.03
CBDVa	3.40	ND	ND
CBDV	3.40	ND	ND
CBN	3.40	ND	ND
CBGa	3.40	ND	ND
CBG	3.40	ND	ND
CBC	3.40	ND	ND
Total		15.07	0.04

1 mL = 0.9852g.

Total THC = THCa * 0.877 + d9-THC; Total CBD = CBDa * 0.877 + CBD; Total Cannabinoids = Sum of quantifiable cannabinoids
LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. The estimated level of uncertainty for these results is 0.05%. Analysis Method: SOP017, SOP030

1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
<http://www.clearwaterbiotech.com>
Lic# 100737 L21-505




Lindsey Contella
Certifying Scientist

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.

Upstate Beverage Consultants

6 Whitlee Court
Greenville, SC 29607
billy@drinkrebelrabbit.com
(864) 434-9011
Lic. #

Sample: 2410CWB0279.0828

Strain: Blue Roo Watermelon WD905LOT01
Batch#: ; Batch Size: g
Sample Received: 10/03/2024; Report Created: 10/08/2024

Sampling: ; Environment:

Blue Roo Watermelon WD905LOT01

Ingestible, Beverage
Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Classification: HEMP/CBD FLORIDA - FOOD - HEMP RULES FOR ALL PRODUCTS
OTHER THAN TOPICAL, FLOWER, AND SUPPOSITORIES.
Type: Beverage

Kaycha Labs

2410CWB0279.0828
Matrix: Edible



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41004005-005



Production Method: Other - Not Listed
Harvest/Lot ID: WD905LOT01
Batch#: WD905LOT01
Sample Size Received: 11 units
Total Amount: 1 units
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Ordered: 10/03/24
Sampled: 10/04/24
Completed: 10/07/24
Sampling Method: KP

Oct 07, 2024 | Clearwater Biotech, LLC
1327 Miller Road
Greenville, SC, 29607, US



PASSED

Pages 1 of 4

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals
Solvents
PASSED



Filtration
NOT TESTED



Water Activity
NOT TESTED



Moisture
NOT TESTED

MISC.



Terpenes
NOT TESTED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation, Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64E50-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director
State License # CMTL 0002
SQ 17025 Accreditation # ISO/IEC
17025:2017 Accreditation # IALA
Testing 97164


Signature
10/07/24

1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
<http://www.clearwaterbiotech.com>
Lic# 100737 L21-505



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.

Upstate Beverage Consultants

6 Whitlee Court
Greenville, SC 29607
billy@drinkrebelrabbit.com
(864) 434-9011
Lic. #

Sample: 2410CWB0279.0828

Strain: Blue Roo Watermelon WD905LOT01
Batch#: ; Batch Size: g
Sample Received: 10/03/2024; Report Created: 10/08/2024

Sampling: ; Environment:

Blue Roo Watermelon WD905LOT01

Ingestible, Beverage
Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

2410CWB0279.0828
Matrix: Edible
Type: Beverage



Certificate of Analysis

PASSED

Clearwater Biotech, LLC

1327 Miller Road
Greenville, SC, 29607, US
Telephone: (873) 250-5413
Email: bfanagan@clearwaterbiotech.com

Sample: DA41004005-005

Harvest/Lot ID: WD905LOT01

Batch: W0905C0101

Sampled: 10/04/24

Ordered: 10/04/24

Sample Size Received: 13 units

Total Amount: 1 units

Completed: 10/07/24 Expires: 10/07/25

Sample Method: 197

Page 3 of 4



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm		TESTED	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analysed by: 850, 585, 1440 Weight: 0.0262g Extraction date: 10/07/24 11:23:03 Extracted by: 850

Analysis Method: SOP T.40.041.FL Analytical Batch: 10407874750L Reviewed On: 10/07/24 12:00:36
Instrument Used: DA-GCMS-003 Batch Date: 10/04/24 14:32:36
Analysed Date: 10/04/24 16:20:09

Dilution: 1 Reagent: 030420.09 Consumables: 430274, 306143
Fluents: DA-309.23.48, Syringe 3502B

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64E820-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation, Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64E820-39 and F.S. Rule 56-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL 0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation #PLA-
Testing 97164

Signature
10/07/24

1327 Miller Rd Suite G
Greenville, SC
(864) 568-8940
http://www.clearwaterbiotech.com
Lic# 100737 L21-505



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Clearwater Biotech using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Clearwater Biotech Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Clearwater Biotech.

Upstate Beverage Consultants

6 Whitlee Court
Greenville, SC 29607
billy@drinkrebelrabbit.com
(864) 434-9011
Lic. #

Sample: 2410CWB0279.0828

Strain: Blue Roo Watermelon WD905LOT01
Batch#: ; Batch Size: g
Sample Received: 10/03/2024; Report Created: 10/08/2024

Sampling: ; Environment:

Blue Roo Watermelon WD905LOT01

Ingestible, Beverage
Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Notes:



4131 SW 47th Avenue Suite 1408
Davie, FL 33314, US
(954) 368-7664

Kaycha Labs

2410CWB0279.0828
Matrix: Edible
Type: Beverage



Certificate of Analysis

PASSED

Clearwater Biotech, LLC
1327 Miller Road
Greenville, SC 29607, US
Telephone: (873) 250-5413
Email: info@clearwaterbiotech.com

Sample: DA41004005-005
Harvest Lot ID: WD905LOT01
Batch: W09050201
Sample Site Received: 13 units
Sampled: 10/04/24
Completed: 10/07/24 Expires: 10/07/25
Ordered: 10/04/24
Total Amount: 1 units
Sample Method: 19

Page 4 of 4

	Microbial	PASSED		Mycotoxins	PASSED
--	------------------	---------------	--	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.00	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.00	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCCHRATOXIN A	0.00	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.00	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.00	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10.00	CFU/g	<10	PASS	100000	Analysed by:	3375.585.1440	Weight:	1.0256g	Extraction date:	10/04/24 13:44:09

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	5
ARSENIC	0.02	ppm	ND	PASS	1.5
CADMIUM	0.02	ppm	ND	PASS	0.5
MERCURY	0.02	ppm	ND	PASS	3
LEAD	0.02	ppm	ND	PASS	0.5

Microtoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64E820.39.

Analysed by: 4531.4520.585.1440
Weight: 0.927g
Extraction date: 10/04/24 13:34:50
Extracted by: 4531

Analysis Method: SOP T.40.056C, SOP T.40.058 FL, SOP T.40.209 FL
Analytical Batch: DA078743MFC
Reviewed On: 10/07/24 09:41:51
Batch Date: 10/04/24

Instrument Used: PathogenDx Scanner DA-111, Applied Biosystems
2720 Thermocycler DA-171, Fisher Scientific
D5°C DA-020 Fisher Scientific
D5°C DA-049 Fisher Scientific
D5°C DA-021
D5°C DA-023
D5°C DA-024
D5°C DA-025
D5°C DA-026
D5°C DA-027
D5°C DA-028
D5°C DA-029
D5°C DA-030
D5°C DA-031
D5°C DA-032
D5°C DA-033
D5°C DA-034
D5°C DA-035
D5°C DA-036
D5°C DA-037
D5°C DA-038
D5°C DA-039
D5°C DA-040
D5°C DA-041
D5°C DA-042
D5°C DA-043
D5°C DA-044
D5°C DA-045
D5°C DA-046
D5°C DA-047
D5°C DA-048
D5°C DA-049
D5°C DA-050
D5°C DA-051
D5°C DA-052
D5°C DA-053
D5°C DA-054
D5°C DA-055
D5°C DA-056
D5°C DA-057
D5°C DA-058
D5°C DA-059
D5°C DA-060
D5°C DA-061
D5°C DA-062
D5°C DA-063
D5°C DA-064
D5°C DA-065
D5°C DA-066
D5°C DA-067
D5°C DA-068
D5°C DA-069
D5°C DA-070
D5°C DA-071
D5°C DA-072
D5°C DA-073
D5°C DA-074
D5°C DA-075
D5°C DA-076
D5°C DA-077
D5°C DA-078
D5°C DA-079
D5°C DA-080
D5°C DA-081
D5°C DA-082
D5°C DA-083
D5°C DA-084
D5°C DA-085
D5°C DA-086
D5°C DA-087
D5°C DA-088
D5°C DA-089
D5°C DA-090
D5°C DA-091
D5°C DA-092
D5°C DA-093
D5°C DA-094
D5°C DA-095
D5°C DA-096
D5°C DA-097
D5°C DA-098
D5°C DA-099
D5°C DA-100
D5°C DA-101
D5°C DA-102
D5°C DA-103
D5°C DA-104
D5°C DA-105
D5°C DA-106
D5°C DA-107
D5°C DA-108
D5°C DA-109
D5°C DA-110
D5°C DA-111
D5°C DA-112
D5°C DA-113
D5°C DA-114
D5°C DA-115
D5°C DA-116
D5°C DA-117
D5°C DA-118
D5°C DA-119
D5°C DA-120
D5°C DA-121
D5°C DA-122
D5°C DA-123
D5°C DA-124
D5°C DA-125
D5°C DA-126
D5°C DA-127
D5°C DA-128
D5°C DA-129
D5°C DA-130
D5°C DA-131
D5°C DA-132
D5°C DA-133
D5°C DA-134
D5°C DA-135
D5°C DA-136
D5°C DA-137
D5°C DA-138
D5°C DA-139
D5°C DA-140
D5°C DA-141
D5°C DA-142
D5°C DA-143
D5°C DA-144
D5°C DA-145
D5°C DA-146
D5°C DA-147
D5°C DA-148
D5°C DA-149
D5°C DA-150
D5°C DA-151
D5°C DA-152
D5°C DA-153
D5°C DA-154
D5°C DA-155
D5°C DA-156
D5°C DA-157
D5°C DA-158
D5°C DA-159
D5°C DA-160
D5°C DA-161
D5°C DA-162
D5°C DA-163
D5°C DA-164
D5°C DA-165
D5°C DA-166
D5°C DA-167
D5°C DA-168
D5°C DA-169
D5°C DA-170
D5°C DA-171
D5°C DA-172
D5°C DA-173
D5°C DA-174
D5°C DA-175
D5°C DA-176
D5°C DA-177
D5°C DA-178
D5°C DA-179
D5°C DA-180
D5°C DA-181
D5°C DA-182
D5°C DA-183
D5°C DA-184
D5°C DA-185
D5°C DA-186
D5°C DA-187
D5°C DA-188
D5°C DA-189
D5°C DA-190
D5°C DA-191
D5°C DA-192
D5°C DA-193
D5°C DA-194
D5°C DA-195
D5°C DA-196
D5°C DA-197
D5°C DA-198
D5°C DA-199
D5°C DA-200
D5°C DA-201
D5°C DA-202
D5°C DA-203
D5°C DA-204
D5°C DA-205
D5°C DA-206
D5°C DA-207
D5°C DA-208
D5°C DA-209
D5°C DA-210
D5°C DA-211
D5°C DA-212
D5°C DA-213
D5°C DA-214
D5°C DA-215
D5°C DA-216
D5°C DA-217
D5°C DA-218
D5°C DA-219
D5°C DA-220
D5°C DA-221
D5°C DA-222
D5°C DA-223
D5°C DA-224
D5°C DA-225
D5°C DA-226
D5°C DA-227
D5°C DA-228
D5°C DA-229
D5°C DA-230
D5°C DA-231
D5°C DA-232
D5°C DA-233
D5°C DA-234
D5°C DA-235
D5°C DA-236
D5°C DA-237
D5°C DA-238
D5°C DA-239
D5°C DA-240
D5°C DA-241
D5°C DA-242
D5°C DA-243
D5°C DA-244
D5°C DA-245
D5°C DA-246
D5°C DA-247
D5°C DA-248
D5°C DA-249
D5°C DA-250
D5°C DA-251
D5°C DA-252
D5°C DA-253
D5°C DA-254
D5°C DA-255
D5°C DA-256
D5°C DA-257
D5°C DA-258
D5°C DA-259
D5°C DA-260
D5°C DA-261
D5°C DA-262
D5°C DA-263
D5°C DA-264
D5°C DA-265
D5°C DA-266
D5°C DA-267
D5°C DA-268
D5°C DA-269
D5°C DA-270
D5°C DA-271
D5°C DA-272
D5°C DA-273
D5°C DA-274
D5°C DA-275
D5°C DA-276
D5°C DA-277
D5°C DA-278
D5°C DA-279
D5°C DA-280
D5°C DA-281
D5°C DA-282
D5°C DA-283
D5°C DA-284
D5°C DA-285
D5°C DA-286
D5°C DA-287
D5°C DA-288
D5°C DA-289
D5°C DA-290
D5°C DA-291
D5°C DA-292
D5°C DA-293
D5°C DA-294
D5°C DA-295
D5°C DA-296
D5°C DA-297
D5°C DA-298
D5°C DA-299
D5°C DA-300
D5°C DA-301
D5°C DA-302
D5°C DA-303
D5°C DA-304
D5°C DA-305
D5°C DA-306
D5°C DA-307
D5°C DA-308
D5°C DA-309
D5°C DA-310
D5°C DA-311
D5°C DA-312
D5°C DA-313
D5°C DA-314
D5°C DA-315
D5°C DA-316
D5°C DA-317
D5°C DA-318
D5°C DA-319
D5°C DA-320
D5°C DA-321
D5°C DA-322
D5°C DA-323
D5°C DA-324
D5°C DA-325
D5°C DA-326
D5°C DA-327
D5°C DA-328
D5°C DA-329
D5°C DA-330
D5°C DA-331
D5°C DA-332
D5°C DA-333
D5°C DA-334
D5°C DA-335
D5°C DA-336
D5°C DA-337
D5°C DA-338
D5°C DA-339
D5°C DA-340
D5°C DA-341
D5°C DA-342
D5°C DA-343
D5°C DA-344
D5°C DA-345
D5°C DA-346
D5°C DA-347
D5°C DA-348
D5°C DA-349
D5°C DA-350
D5°C DA-351
D5°C DA-352
D5°C DA-353
D5°C DA-354
D5°C DA-355
D5°C DA-356
D5°C DA-357
D5°C DA-358
D5°C DA-359
D5°C DA-360
D5°C DA-361
D5°C DA-362
D5°C DA-363
D5°C DA-364
D5°C DA-365
D5°C DA-366
D5°C DA-367
D5°C DA-368
D5°C DA-369
D5°C DA-370
D5°C DA-371
D5°C DA-372
D5°C DA-373
D5°C DA-374
D5°C DA-375
D5°C DA-376
D5°C DA-377
D5°C DA-378
D5°C DA-379
D5°C DA-380
D5°C DA-381
D5°C DA-382
D5°C DA-383
D5°C DA-384
D5°C DA-385
D5°C DA-386
D5°C DA-387
D5°C DA-388
D5°C DA-389
D5°C DA-390
D5°C DA-391
D5°C DA-392
D5°C DA-393
D5°C DA-394
D5°C DA-395
D5°C DA-396
D5°C DA-397
D5°C DA-398
D5°C DA-399
D5°C DA-400
D5°C DA-401
D5°C DA-402
D5°C DA-403
D5°C DA-404
D5°C DA-405
D5°C DA-406
D5°C DA-407
D5°C DA-408
D5°C DA-409
D5°C DA-410
D5°C DA-411
D5°C DA-412
D5°C DA-413
D5°C DA-414
D5°C DA-415
D5°C DA-416
D5°C DA-417
D5°C DA-418
D5°C DA-419
D5°C DA-420
D5°C DA-421
D5°C DA-422
D5°C DA-423
D5°C DA-424
D5°C DA-425
D5°C DA-426
D5°C DA-427
D5°C DA-428
D5°C DA-429
D5°C DA-430
D5°C DA-431
D5°C DA-432
D5°C DA-433
D5°C DA-434
D5°C DA-435
D5°C DA-436
D5°C DA-437
D5°C DA-438
D5°C DA-439
D5°C DA-440
D5°C DA-441
D5°C DA-442
D5°C DA-443
D5°C DA-444
D5°C DA-445
D5°C DA-446
D5°C DA-447
D5°C DA-448
D5°C DA-449
D5°C DA-450
D5°C DA-451
D5°C DA-452
D5°C DA-453
D5°C DA-454
D5°C DA-455
D5°C DA-456
D5°C DA-457
D5°C DA-458
D5°C DA-459
D5°C DA-460
D5°C DA-461
D5°C DA-462
D5°C DA-463
D5°C DA-464
D5°C DA-465
D5°C DA-466
D5°C DA-467
D5°C DA-468
D5°C DA-469
D5°C DA-470
D5°C DA-471
D5°C DA-472
D5°C DA-473
D5°C DA-474
D5°C DA-475
D5°C DA-476
D5°C DA-477
D5°C DA-478
D5°C DA-479
D5°C DA-480
D5°C DA-481
D5°C DA-482
D5°C DA-483
D5°C DA-484
D5°C DA-485
D5°C DA-486
D5°C DA-487
D5°C DA-488
D5°C DA-489
D5°C DA-490
D5°C DA-491
D5°C DA-492
D5°C DA-493
D5°C DA-494
D5°C DA-495
D5°C DA-496
D5°C DA-497
D5°C DA-498
D5°C DA-499
D5°C DA-500
D5°C DA-501
D5°C DA-502
D5°C DA-503
D5°C DA-504
D5°C DA-505
D5°C DA-506
D5°C DA-507
D5°C DA-508
D5°C DA-509
D5°C DA-510
D5°C DA-511
D5°C DA-512
D5°C DA-513
D5°C DA-514
D5°C DA-515
D5°C DA-516
D5°C DA-517
D5°C DA-518
D5°C DA-519
D5°C DA-520
D5°C DA-521
D5°C DA-522
D5°C DA-523
D5°C DA-524
D5°C DA-525
D5°C DA-526
D5°C DA-527
D5°C DA-528
D5°C DA-529
D5°C DA-530
D5°C DA-531
D5°C DA-532
D5°C DA-533
D5°C DA-534
D5°C DA-535
D5°C DA-536
D5°C DA-537
D5°C DA-538
D5°C DA-539
D5°C DA-540
D5°C DA-541
D5°C DA-542
D5°C DA-543
D5°C DA-544
D5°C DA-545
D5°C DA-546
D5°C DA-547
D5°C DA-548
D5°C DA-549
D5°C DA-550
D5°C DA-551
D5°C DA-552
D5°C DA-553
D5°C DA-554
D5°C DA-555
D5°C DA-556
D5°C DA-557
D5°C DA-558
D5°C DA-559
D5°C DA-560
D5°C DA-561
D5°C DA-562
D5°C DA-563
D5°C DA-564
D5°C DA-565
D5°C DA-566
D5°C DA-567
D5°C DA-568
D5°C DA-569
D5°C DA-570
D5°C DA-571
D5°C DA-572
D5°C DA-573
D5°C DA-574
D5°C DA-575
D5°C DA-576
D5°C DA-577
D5°C DA-578
D5°C DA-579
D5°C DA-580
D5°C DA-581
D5°C DA-582
D5°C DA-583
D5°C DA-584
D5°C DA-585
D5°C DA-586
D5°C DA-587
D5°C DA-588
D5°C DA-589
D5°C DA-590
D5°C DA-591
D5°C DA-592
D5°C DA-593
D5°C DA-594
D5°C DA-595
D5°C DA-596
D5°C DA-597
D5°C DA-598
D5°C DA-599
D5°C DA-600
D5°C DA-601
D5°C DA-602
D5°C DA-603
D5°C DA-604
D5°C DA-605
D5°C DA-606
D5°C DA-607
D5°C DA-608
D5°C DA-609
D5°C DA-610
D5°C DA-611
D5°C DA-612
D5°C DA-613
D5°C DA-614
D5°C DA-615
D5°C DA-616
D5°C DA-617
D5°C DA-618
D5°C DA-619
D5°C DA-620
D5°C DA-621
D5°C DA-622
D5°C DA-623
D5°C DA-624
D5°C DA-625
D5°C DA-626
D5°C DA-627
D5°C DA-628
D5°C DA-629
D5°C DA-630
D5°C DA-631
D5°C DA-632
D5°C DA-633
D5°C DA-634
D5°C DA-635
D5°C DA-636
D5°C DA-637
D5°C DA-638
D5°C DA-639
D5°C DA-640
D5°C DA-641
D5°C DA-642
D5°C DA-643
D5°C DA-644
D5°C DA-645
D5°C DA-646
D5°C DA-647
D5°C DA-648
D5°C DA-649
D5°C DA-650
D5°C DA-651
D5°C DA-652
D5°C DA-653
D5°C DA-654
D5°C DA-655
D5°C DA-656
D5°C DA-657
D5°C DA-658
D5°C DA-659
D5°C DA-660
D5°C DA-661
D5°C DA-662
D5°C DA-663
D5°C DA-664
D5°C DA-665
D5°C DA-666
D5°C DA-667
D5°C DA-668
D5°C DA-669
D5°C DA-670
D5°C DA-671
D5°C DA-672
D5°C DA-673
D5°C DA-674
D5°C DA-675
D5°C DA-676
D5°C DA-677
D5°C DA-678
D5°C DA-679
D5°C DA-680
D5°C DA-681
D5°C DA-682
D5°C DA-683
D5°C DA-684
D5°C DA-685
D5°C DA-686
D5°C DA-687
D5°C DA-688
D5°C DA-689
D5°C DA-690
D5°C DA-691
D5°C DA-692
D5°C DA-693
D5°C DA-694
D5°C DA-695
D5°C DA-696
D5°C DA-697
D5°C DA-698
D5°C DA-699
D5°C DA-700
D5°C DA-701
D5°C DA-702
D5°C DA-703
D5°C DA-704
D5°C DA-705
D5°C DA-706
D5°C DA-707
D5°C DA-708
D5°C DA-709
D5°C DA-710
D5°C DA-711
D5°C DA-712
D5°C DA-713
D5°C DA-714
D5°C DA-715
D5°C DA-716
D5°C DA-717
D5°C DA-718
D5°C DA-719
D5°C DA-720
D5°C DA-721
D5°C DA-722
D5°C DA-723
D5°C DA-724
D5°C DA-725
D5°C DA-726
D5°C DA-727
D5°C DA-728
D5°C DA-729
D5°C DA-730
D5°C DA-731
D5°C DA-732
D5°C DA-733
D5°C DA-734
D5°C DA-735
D5°C DA-736
D5°C DA-737
D5°C DA-738
D5°C DA-739
D5°C DA-740
D5°C DA-741
D5°C DA-742
D5°C DA-743
D5°C DA-744
D5°C DA-745
D5°C DA-746
D5°C DA-747
D5°C DA-748
D5°C DA-749
D5°C DA-750
D5°C DA-751
D5°C DA-752
D5°C DA-753
D5°C DA-754
D5°C DA-755
D5°C DA-756
D5°C DA-757
D5°C DA-758
D5°C DA-759
D5°C DA-760
D5°C DA-761
D5°C DA-762
D5°C DA-763
D5°C DA-764
D5°C DA-765
D5°C DA-766
D5°C DA-767
D5°C DA-768
D5°C DA-769
D5°C DA-770
D5°C DA-771
D5°C DA-772
D5°C DA-773
D5°C DA-774
D5°C DA-775
D5°C DA-776
D5°C DA-777
D5°C DA-778
D5°C DA-779
D5°C DA-780
D5°C DA-781
D5°C DA-782
D5°C DA-783
D5°C DA-784
D5°C DA-785
D5°C DA-786
D5°C DA-787
D5°C DA-788
D5°C DA-789
D5°C DA-790
D5°C DA-791
D5°C DA-792
D5°C DA-793
D5°C DA-794
D5°C DA-795
D5°C DA-796
D5°C DA-797
D5°C DA-798
D5°C DA-799
D5°C DA-800
D5°C DA-801
D5°C DA-802
D5°C DA-803
D5°C DA-804
D5°C DA-805
D5°C DA-806
D5°C DA-807
D5°C DA-808
D5°C DA-809
D5°C DA-810
D5°C DA-811
D5°C DA-812
D5°C DA-813
D5°C DA-814
D5°C DA-815
D5°C DA-816
D5°C DA-817
D5°C DA-818
D5°C DA-819
D5°C DA-820
D5°C DA-821
D5°C DA-822
D5°C DA-823
D5°C DA-824
D5°C DA-825
D5°C DA-826
D5°C DA-827
D5°C DA-828
D5°C DA-829
D5°C DA-830
D5°C DA-831
D5°C DA-832
D5°C DA-833
D5°C DA-834
D5°C DA-835
D5°C DA-836
D5°C DA-837
D5°C DA-838
D5°C DA-839
D5°C DA-840
D5°C DA-841
D5°C DA-842
D5°C DA-843
D5°C DA-844
D5°C DA-845
D5°C DA-846
D5°C DA-847
D5°C DA-848
D5°C DA-849
D5°C DA-850
D5°C DA-851
D5°C DA-852
D5°C DA-853
D5°C DA-854
D5°C DA-855
D5°C DA-856
D5°C DA-857
D5°C DA-858
D5°C DA-859
D5°C DA-860
D5°C DA-861
D5°C DA-862
D5°C DA-863
D5°C DA-864
D5°C DA-865
D5°C DA-866
D5°C DA-867
D5°C DA-868
D5°C DA-869
D5°C DA-870
D5°C DA-871
D5°C DA-872
D5°C DA-873
D5°C DA-874
D5°C DA-875
D5°C DA-876
D5°C DA-877
D5°C DA-878
D5°C DA-879
D5°C DA-880
D5°C DA-881
D5°C DA-882
D5°C DA-883
D5°C DA-884
D5°C DA-885
D5°C DA-886
D5°C DA-887
D5°C DA-888
D5°C DA-889
D5°C DA-890
D5°C DA-891
D5°C DA-892
D5°C DA-893
D5°C DA-894
D5°C DA-895
D5°C DA-896
D5°C DA-897
D5°C DA-898
D5°C DA-899
D5°C DA-900
D5°C DA-901
D5°C DA-902
D5°C DA-903
D5°C DA-904
D5°C DA-905
D5°C DA-906
D5°C DA-907
D5°C DA-908
D5°C DA-909
D5°C DA-910
D5°C DA-911
D5°C DA-912
D5°C DA-913
D5°C DA-914
D5°C DA-915
D5°C DA-916
D5°C DA-917
D5°C DA-918
D5°C DA-919
D5°C DA-920
D5°C DA-921
D5°C DA-922
D5°C DA-923
D5°C DA-924
D5°C DA-925
D5°C DA-926
D5°C DA-927
D5°C DA-928
D5°C DA-929
D5°C DA-930
D5°C DA-931
D5°C DA-932
D5°C DA-933
D5°C DA-934
D5°C DA-935
D5°C DA-936
D5°C DA-937
D5°C DA-938
D5°C DA-939
D5°C DA-940
D5°C DA-941
D5°C DA-942
D5°C DA-943
D5°C DA-944
D5°C DA-945
D5°C DA-946
D5°C DA-947
D5°C DA-948
D5°C DA-949
D5°C DA-950
D5°C DA-951
D5°C DA-952
D5°C DA-953
D5°C DA-954
D5°C DA-955
D5°C DA-956
D5°C DA-957
D5°C DA-958
D5°C DA-959
D